

INVITATION TO BID



**CITY OF RINGGOLD
PURCHASING
P.O. BOX 579
150 TENNESSEE STREET
RINGGOLD, GA 30736**

ITB #19-010

FOR: Side Arm Tractor and Brush Cutter

OPENING DATE: May 17, 2019

TIME: 2:00 P.M. EST

**PLACE: Ringgold City Hall
150 Tennessee Street
Ringgold, GA 30736**

BID SPECIFICATIONS

Bidders shall be prepared to give a complete demonstration of the merits of the machines offered as directed by the purchaser. The machines so demonstrated shall be complete as offered by the bidder for this bid.

Awards will be made to the best responsible bidder as determined by the City of Ringgold. The quality of the articles to be supplied, their conformity with the specifications, their suitability to requirements and delivery terms shall be taken into consideration.

If there are any of these standards in which proposed machine does not meet, please provide the description of lacking standard with the machines design standard.

The proposal for this machine should include:

NEW AND UNUSED: 4WD Cab Tractor with 16 'Mid-Mount Boom/60" Rotary Brush Cutter

| TRACTOR | MEET SPECS |
|--|--|
| • Diesel engine with turbocharger | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Gross engine HP 118 | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • PTO – Independent – wet type | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Transmission - 8x8 synchronized mechanical left hand shuttle | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Wheels Heavy Duty Steel Construction | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Hitch – 3 point, Draft sensing, flex link ends | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Hydraulic System- Implement pump flow 13 GPM | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Hydraulic System – auxiliary pump flow 9 GPM. | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Steering- Power, Hydraulic type with gear flow pump 9 GPM. | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Electrical – Alternator 120 amps | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Battery- 12 volt | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Fuel Capacity – 39 gal with fuel tank guard | <input type="checkbox"/> yes <input type="checkbox"/> no |
| | |
| CAB | |
| • ROPS Enclosed with A/C & Heat included | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • All Gauges (Temp, Fuel , Oil, RPM) | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • AM/FM Radio | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Suspension Seat with Armrest | <input type="checkbox"/> yes <input type="checkbox"/> no |
| | |
| SAFETY EQUIPMENT | |
| • Strobe lights- Top of Cab with Amber Light (bar type) | <input type="checkbox"/> yes <input type="checkbox"/> no |
| • Directional Light- Front & Rear | <input type="checkbox"/> yes <input type="checkbox"/> no |

- Hazard Lights- Front & Rear yes no
- Right side door glass (polycarbonate) yes no

16' Mid-Mount Articulated Boom

- Frame- Mounted between front and rear wheels, braced to axles yes no
- Hydraulic Reservoir- minimum 60 gallons yes no
- Filter- suction line 100 mesh, main in tank 10 micron yes no
- King post- 4" shaft yielding 48,000 lbs. per square inch yes no
- King post bearings- tapered roller 3" I.D. and greaseable yes no
- Horizontal boom swing hydraulically operated yes no
- 120 degree swing capacity yes no
- Hydraulic pump steel gear with 51 GPM @ 2400 RPM yes no
- Hydraulic driveshaft assembly rated at 242-ft lbs. torque yes no
- Hoses from boom to deck 1-1/4" with protective sleeving yes no
- Valves- 4 spool, open center, tapered positive metering type with adjustable main relief valve yes no
- Safety Cage yes no
- Boom Rest yes no

60" Rotary Brush Cutter

- Deck 10 gauge steel with 3/8" sides yes no
- Deck Rotation- 220 degrees yes no
- Spindle- 4-1/2"x9" alloy steel, splined, annealed 4140 alloy yes no
- Spindle drive- splined, direct drive, and enclosed yes no
- Blade Bar- Three leaf, stacked, and bolted. yes no
- Blades- 5/8" x 5" x 14-5/8" double edged, tempered steel yes no
- Hydraulic motor- steel gears rated at 90HP, 2500 RPM yes no
- Blade braking controls yes no
- Safety shield: front -retractable, Rear- full length rubber yes no
- Mower controls: Joystick, no cables yes no

WARRANTY

- 2 Years or suggested warranty above 2 years yes no
- Manuals & Parts book included on all items yes no

DELIVERY

- Please indicate earliest delivery date on bid form. This may be a factor in the award of the bid. Successful bidder shall at the time of delivery have appropriate personnel to explain the proper operation and maintenance of unit.

EXCEPTIONS & DEVIATIONS

- Proposer shall fully describe variance exception and/or deviation. Fully explain any item in non-compliance with specification. Additional sheets may be used if required.

PROPOSAL

We have examined the specifications and agree to furnish the City of Ringgold with the equipment/services accordingly. Any deviations from the specifications will be marked exception on the bid sheet.

We propose to furnish City of Ringgold with said equipment/service for:

Equipment manufacture and model proposed:

TOTAL BID COST FORMAT

Purchase Price: \$ _____

Delivery Date : _____

COMPLY TO ALL SPECS: _____ YES _____ NO

ANY EXCEPTIONS ARE TO BE NOTED: _____

Bids shall be submitted in a sealed opaque envelope and shall be marked on the outside with the name of the submitting company, the words “SEALED BID – Side Arm Tractor”. Any deviation from the requirements set forth for the labeling of the bid envelopes shall result in said bid being returned to the bidder unopened and any such bid shall not be considered.

Sealed bids shall be addressed to the attention of Mike Cagle and mailed to the City of Ringgold, P.O. Box 579, Ringgold, GA 30736 or hand delivered to Ringgold City Hall at 150 Tennessee Street, Ringgold, Georgia. All bids shall be received on or before the above designated date and time. Any bid received after this date and time shall not be accepted. Bids shall be typed or submitted in ink. Bids will be opened and read publicly. Bids are legal and binding upon the bidder when submitted.

It is understood that this contract, if accepted by the City of Ringgold, is entered into solely for the convenience of the City and in no way precludes the City from obtaining like goods from other suppliers upon prior approval of the City Manager. Such approval shall be made at the sole discretion of the City of Ringgold and shall be conclusive.

The City of Ringgold reserves the right to accept or reject any or all bids for any reason, to waive technicalities, and to make an award deemed in its best interest. The City of Ringgold shall have the right to delete a unit item from the bid if necessary or proper in the sole determination of the City of Ringgold.

We certify that our bid meets the minimum requirements as specified in bid documents, this _____ day of _____.

AUTHORIZED SIGNATURE

TITLE

PRINTED NAME OF SIGNATURE

COMPANY

ADDRESS

CITY/STATE/ZIP CODE

TELEPHONE NUMBER

FAX NUMBER

EMAIL ADDRESS: _____

Contractor Affidavit under O.C.G.A. §13-10-91(b)(1)

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. §13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services on behalf of the City of Ringgold, Georgia has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. §13-10-91. Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period and the undersigned contractor will contract for the physical performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the contractor with the information required by O.C.C.A. §13-10-91(b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification Number

Date of Authorization

Name of Contractor

Name of Project

Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, ____, 201__ in _____ (city), _____ (state).

Signature of Authorized Officer or Agent

Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE ____ DAY OF _____, 201__.

NOTARY PUBLIC